Six-gore skirt after Jane Fales, Dressmaking (1917)

Print at 100 % ("actual size"). Check the 10 cm square. 5 rows x 6 columns: trim, lay out by row/column, tape.

Sizes (body, cm): B84 68/92, B88 72/96, B92 76/100, B96 80/104, B100 84/108, B104 88/112 (waist / hip 25 cm down).

Length to the floor as Fales drafts it (front 101.6 cm): shorten at the hem. At least 5 cm of the length is the hem.

Allowances included (p.203): 2.5 cm (1 in.) on all lengthwise seams, 6 mm (1/4 in.) at the waist.


Grain: panels on a lengthwise fold; the front edge of each side gore on the lengthwise thread (p.203).

Placket 30 cm (12 in.) at the left of the back panel (p.205). Waist on stiff belting with hooks and eyes (p.388).

Cloth, 150 cm wide (ours): B84 2.1 m, B88 2.1 m, B92 2.1 m, B96 2.1 m, B100 2.1 m, B104 2.1 m.

Ours, not Fales's: today's sizes (waist = bust - 16 cm, hip = bust + 8 cm, her 15 cm hip in her proportion),

curve shapes, two dart amounts set in the middle of her ranges, the layout. Bottom about 152.4 cm round (her 60 in.).



row 1 - column 1


10 cm
test square
measure it

SIX-GORE SKIRT after FALES (1917), six si

B84: waist 68 cm, hip 92 cm

B96: waist 80 cm, hip 104 cm

Bar = notch (hip line, match at every seam). Blue text = pl



row 1 - column 2

(1917), six sizes nested. Cut on your size line.


92 cm

104 cm


B88: waist 72 cm, hip 96 cm

B100: waist 84 cm, hip 108 cm


m). Blue text = place on fold.




row 1 - column 3




row 1 - column 4





row 1 - column 5





row 1 - column 6






row 2 - column 1


row 2 - column 2


row 2 - column 3


row 2 - column 4


row 2 - column 5
placket 30 cm from the waist, left side only


row 2 - column 6
placket 30 cm from the waist, left side only

PLACE ON FOLD

1

FRONT

PANEL

Cut 1 on the fold

seams 2.5 cm on, waist 6 mm

no hem allowance

row 3 - column 2

2


SIDE-FRONT

GORE

Cut 2 (a pair)

seams 2.5 cm on, waist 6 mm

no hem allowance


row 3 - column 3

row 3 - column 4

3


SIDE-BACK

GORE

Cut 2 (a pair)

seams 2.5 cm on, waist 6 mm

no hem allowance



4

BACK

PANEL

Cut 1 on the fol

seams 2.5 cm on, waist

no hem allowance

row 3 - column 6

PLACE ON FOLD

4


BACK


PANEL


Cut 1 on the fold

eams 2.5 cm on, waist 6 mm


no hem allowance



row 4 - column 1
GRAIN



row 4 - column 2
GRAIN



row 4 - column 3


row 4 - column 4





row 4 - column 5
GRAIN


row 4 - column 6
GRAIN



row 5 - column 1



row 5 - column 2


row 5 - column 3

row 5 - column 4






row 5 - column 6